

## Technical Data Air Circulation Bogie-Hearth Furnaces

### Air Circulation Bogie-Hearth Furnaces WM 1000/04/A

Max. temperature:	450°C
Inside dimensions (mm):	W 1000 x D 1000 x H 1000
Outside dimensions (mm):	W 2200 x D 1800 x H 3200
Weight:	1130 kg
Volume:	1000 l
Power:	41,0 kW
Voltage:	400 3/N V

### Air Circulation Bogie-Hearth Furnaces WM 1500/04/A

Max. temperature:	450°C
Inside dimensions (mm):	W 1000 x D 1500 x H 1000
Outside dimensions (mm):	W 2200 x D 2300 x H 3200
Weight:	1290 kg
Volume:	1500 l
Power:	53,0 kW
Voltage:	400 3/N V

### Air Circulation Bogie-Hearth Furnaces WM 2000/04/A

Max. temperature:	450°C
Inside dimensions (mm):	W 1000 x D 2000 x H 1000
Outside dimensions (mm):	W 2200 x D 2900 x H 3200
Weight:	1420 kg
Volume:	2000 l
Power:	68,0 kW
Voltage:	400 3/N V

### Air Circulation Bogie-Hearth Furnaces WM 3500/04/A

Max. temperature:	450°C
Inside dimensions (mm):	W 1300 x D 2500 x H 1100
Outside dimensions (mm):	W 2500 x D 3100 x H 3500
Weight:	1740 kg
Volume:	3580 l
Power:	81,0 kW
Voltage:	400 3/N V

### Air Circulation Bogie-Hearth Furnaces WM 5000/04/A

Max. temperature:	450°C
Inside dimensions (mm):	W 1300 x D 3100 x H 1250
Outside dimensions (mm):	W 2500 x D 3800 x H 3700
Weight:	1900 kg
Volume:	5040 l
Power:	87,0 kW
Voltage:	400 3/N V

**Air Circulation Bogie-Hearth Furnaces WM 7200/04/A**

<b>Max. temperature:</b>	<b>450°C</b>
<b>Inside dimensions (mm):</b>	<b>W 1500 x D 3100 x H 1500</b>
<b>Outside dimensions (mm):</b>	<b>W 2800 x D 3800 x H 3900</b>
<b>Weight:</b>	<b>2700 kg</b>
<b>Volume:</b>	<b>6980 l</b>
<b>Power:</b>	<b>102,0 kW</b>
<b>Voltage:</b>	<b>400 3/N V</b>