

## Technical Data Laboratory Furnaces with Weighing System up to 1200°C

### Laboratory Furnaces KLS 05/12/WS

Max. temperature: 1200°C  
Inside dimensions (mm): W 200 x D 250 x H 140  
Volume: 7 l  
Outside dimensions (mm): W 550 x D 580 x H 650  
Power: 2,0 kW  
Voltage: 230 1/N V

### Laboratory Furnaces KLS 10/12/WS

Max. temperature: 1200°C  
Inside dimensions (mm): W 200 x D 250 x H 200  
Volume: 10 l  
Outside dimensions (mm): W 560 x D 640 x H 720  
Power: 3,6 kW  
Voltage: 230 1/N V

### Laboratory Furnaces KLS 15/12/WS

Max. temperature: 1200°C  
Inside dimensions (mm): W 220 x D 300 x H 230  
Volume: 15 l  
Outside dimensions (mm): W 560 x D 640 x H 720  
Power: 3,6 kW  
Voltage: 230 1/N V

### Laboratory Furnaces KLS 30/12/WS

Max. temperature: 1200°C  
Inside dimensions (mm): W 280 x D 380 x H 280  
Volume: 30 l  
Outside dimensions (mm): W 590 x D 690 x H 790  
Power: 6,0 kW  
Voltage: 400 3/N V

### Laboratory Furnaces KLS 45/12/WS

Max. temperature: 1200°C  
Inside dimensions (mm): W 300 x D 500 x H 300  
Volume: 45 l  
Outside dimensions (mm): W 660 x D 810 x H 820  
Power: 7,5 kW  
Voltage: 400 3/N V

## Laboratory Furnaces KLS 60/12/WS

Max. temperature: 1200°C  
Inside dimensions (mm): W 400 x D 500 x H 300  
Volume: 60 l  
Outside dimensions (mm): W 760 x D 840 x H 800  
Power: 9,6 kW  
Voltage: 400 3/N V