

Technical Data Tube Furnaces up to 1800°C

Tube Furnaces ROHT 40/200/18

Max. temperature:	1800°C
Heated length:	200 mm
Outer dimensions (mm):	W 460 x D 530 x H 830
Tube- Ø:	40 mm
Power:	3,0 kW
Voltage:	230 1/N V

Tube Furnaces ROHT 40/300/18

Max. temperature:	1800°C
Heated length:	300 mm
Outer dimensions (mm):	W 560 x D 530 x H 830
Tube- Ø:	40 mm
Power:	4,0 kW
Voltage:	400 3/N V

Tube Furnaces ROHT 40/400/18

Max. temperature:	1800°C
Heated length:	400 mm
Outer dimensions (mm):	W 660 x D 530 x H 830
Tube- Ø:	40 mm
Power:	4,8 kW
Voltage:	400 3/N V

Tube Furnaces ROHT 40/600/18

Max. temperature:	1800°C
Heated length:	600 mm
Outer dimensions (mm):	W 860 x D 530 x H 830
Tube- Ø:	40 mm
Power:	8,6 kW
Voltage:	400 3/N V

Tube Furnaces ROHT 50/200/18

Max. temperature: 1800°C
Heated length: 200 mm
Outer dimensions (mm): W 460 x D 530 x H 830
Tube- Ø: 50 mm
Power: 3,0 kW
Voltage: 230 1/N V

Tube Furnaces ROHT 50/300/18

Max. temperature: 1800°C
Heated length: 300 mm
Outer dimensions (mm): W 560 x D 530 x H 830
Tube- Ø: 50 mm
Power: 4,0 kW
Voltage: 400 3/N V

Tube Furnaces ROHT 50/400/18

Max. temperature: 1800°C
Heated length: 400 mm
Outer dimensions (mm): W 660 x D 530 x H 830
Tube- Ø: 50 mm
Power: 4,8 kW
Voltage: 400 3/N V

Tube Furnaces ROHT 50/600/18

Max. temperature: 1800°C
Heated length: 600 mm
Outer dimensions (mm): W 860 x D 530 x H 830
Tube- Ø: 50 mm
Power: 8,6 kW
Voltage: 400 3/N V

Tube Furnaces ROHT 75/200/18

Max. temperature: 1800°C
Heated length: 200 mm
Outer dimensions (mm): W 460 x D 530 x H 830
Tube- Ø: 75 mm
Power: 3,0 kW
Voltage: 230 1/N V

Tube Furnaces ROHT 75/300/18

Max. temperature: 1800°C
Heated length: 300 mm
Outer dimensions (mm): W 560 x D 530 x H 830
Tube- Ø: 75 mm
Power: 4,0 kW
Voltage: 400 3/N V

Tube Furnaces ROHT 75/400/18

Max. temperature: 1800°C
Heated length: 400 mm
Outer dimensions (mm): W 660 x D 530 x H 830
Tube- Ø: 75 mm
Power: 4,8 kW
Voltage: 400 3/N V

Tube Furnaces ROHT 75/600/18

Max. temperature: 1800°C
Heated length: 600 mm
Outer dimensions (mm): W 860 x D 530 x H 830
Tube- Ø: 75 mm
Power: 8,6 kW
Voltage: 400 3/N V